

---

---

Archives of  
**Dermatological  
Research**

**Volume 287 1995**

**Editor-in-Chief**

E. Christophers, Kiel

**Managing Editors**

P. Fritsch, Innsbruck  
S. I. Katz, Bethesda  
W. Sterry, Berlin  
H. Tagami, Sendai  
K. Thestrup-Pedersen, Aarhus  
J. J. Vorhees, Ann Arbor

**Editorial Board**

J. D. Bos, Amsterdam  
L. R. Braathen, Bern  
O. Braun-Falco, Munich  
G. Burg, Zurich  
B. Czarnetzki, Berlin  
A. Gianetti, Modena  
I. Gigli, San Diego  
M. W. Greaves, London  
V. K. Hopsu-Havu, Turku  
S. Imamura, Kyoto  
L. Juhlin, Uppsala  
T. Krieg, Cologne  
T. Luger, Münster  
R. M. Mackie, Glasgow  
H. Maibach, San Francisco  
G. Plewig, Munich  
J. Ring, Hamburg  
J. M. Schröder, Kiel  
G. Stingl, Vienna  
H. H. Wolff, Lübeck  
K. Wolff, Vienna



**Springer**

In 1989 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1-127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung/Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

*While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.*

#### *Special regulations for photocopies in the USA:*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, Canada Institute for Scientific and Technical Information, Ottawa K1A 0S2, Canada (Tel. 613-993-9251; Fax 613-952-8243; e-mail: cisti.docdel@nrc.ca).

*Printers:* Schneider Druck GmbH, D-91541 Rothenburg ob der Tauber, Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1995 · Printed in Germany

# Contents of Volume 287

- Ackerman C → Rawlings A  
 Affolter VK → Olivry T  
 Ahmed AA, Nordlind K, Schultzberg M, Lidén S: Immunohistochemical localization of IL-1 alpha-, IL-1 beta-, IL-6- and TNF-alpha-like immunoreactivities in human apocrine glands 764  
 Ahmed AR → Mohimen A  
 Aiba S → Ozawa H  
 Akitaya T → Matsue H  
 Alaibac M → Yu RC  
 Alessandrini C → Fimiani M  
 Algermissen B → Haas N  
 Anan S → Tanaka Y  
 Anderson RR → Martin A  
 Andreassi L → Fimiani M  
 Angell MG → Höpfl R  
 Assum G → Eisenbarth I  
 Autio P → Kylmäniemi M  
 Autio-Harmainen H → Koivukangas V
- Bäck O, Scheynius A, Johansson SGO: Ketoconazole in atopic dermatitis: therapeutic response is correlated with decrease in serum IgE 448  
 Baker BS → Olaniran AK  
 Banks J → Rawlings A  
 Barlow RJ, Macdonald DM, Kobza Black A, Greaves MW: The effects of topical corticosteroids on delayed pressure urticaria 285  
 Bauer EA → Mauch C  
 Beehler BC, Chen S, Trampusch KM: Gene expression of retinoic acid receptors and cellular retinoic acid-binding proteins in rhino and hairless mouse skin 488  
 Behrens W → Prinz B  
 Berger H → Tsambaos D  
 Bergh K → Iversen O-J  
 Berti E → Tadini G  
 Bhardwaj RS, Luger TA: Proopiomelanocortin production by epidermal cells: evidence for an immune neuroendocrine network in the epidermis 85  
 Bialik W → Simonetti O  
 Bloom E → Hostýnek JJ  
 Blume-Peytavi U → Schön MP  
 Boddé HE → Simonetti O  
 Boehncke W-H, Dahlke A, Zollner TM, Sterry W: Differential expression of heat shock protein 70 (HSP70) and heat shock cognate protein 70 (HSC70) in human epidermis 68  
 Borel Y → Dumas V  
 Bos JD: The skin immune system: lupus erythematosus as a paradigm 23  
 Botchkarev VA, Paus R, Czarnetzki BM, Kupriyanov VS, Gordon DS, Johansson O: Hair cycle-dependent changes in mast cell histochemistry in murine skin 683  
 Bovy T → Lacroix M  
 Brandtzaeg P → Lützw-Holm C  
 Braun-Falco M → Holubar K  
 Burger PM → Ockenfels HM
- Cambiaghi S → Tadini G  
 Cavalli R → Tadini G  
 Celerier P, Richard A, Litoux P, Dreno B: Modulatory effects of selenium and strontium salts on keratinocyte-derived inflammatory cytokines 680  
 Charbonnier A-S, Mallet F, Fiers M-M, Desgranges C, Dezutter-Dambuyant C, Schmitt D: Detection of HIV-specific DNA sequences in epidermal Langerhans cells infected in vitro by means of a cell-free system 36  
 Chen S → Beehler BC  
 Chen S-L: HPV-4-induced warts are verruca vulgaris 618  
 Christensen ND → Höpfl R  
 Christiano AM → Uitto J  
 Christophers E: 125 Years of *Archives of Dermatological Research* 1  
 Christophers E → Wiedow O  
 Chu AC → Yu RC  
 Clausen OPF → Lützw-Holm C  
 Corcuff P: Development of a stratum corneum and barrier function in an organotypic skin culture 221  
 Czarnetzki BM → Botchkarev VA  
 Czarnetzki BM → Grabbe J  
 Czarnetzki BM → Haas N  
 Czarnetzki BM → Paus R  
 Czarnetzki BM → Schadendorf D  
 Czarnetzki BM → Weber S
- Dahlke A → Boehncke W-H  
 Danilenko DM → Olivry T  
 Danno K, Shinya A, Imamura S: Effects of adult T-cell leukaemia-derived factor on ultraviolet radiation-induced skin injury 498  
 Demarchez M → Dumas V  
 Demoulin-Giacco N → Gaboriau F  
 Desgranges C → Charbonnier A-S  
 Deutsch TF → Martin A  
 Dezutter-Dambuyant C → Charbonnier A-S  
 Dippel E → Grabbe J  
 Dohi S → Takizawa Y  
 Dreno B → Celerier P  
 Driesch P von den, Fartasch M, Hüner A, Ponc M: Expression of integrin receptors and ICAM-1 on keratinocytes in vivo and in an in vitro reconstructed epidermis: effect of sodium dodecyl sulphate 249  
 Dumas V, Ptak W, Demarchez M, Saurat J-H, Borel Y, Hauser C: Induction of tolerance by administration of hapten-immunoglobulin conjugates is associated with decreased IL-2 and IL-4 production 123  
 Dunnill MGS → Eady RAJ
- Eady RAJ, Dunnill MGS: Epidermolysis bullosa: hereditary skin fragility diseases as paradigms in cell biology 2  
 Eady RAJ → Ishida-Yamamoto A
- Eberle J, Garbe C, Orfanos CE: Identification of genes specifically regulated in human melanoma cells 421  
 Eberle J → Krasagakis K  
 Eisenbarth I, Hoffmeyer S, Kaufmann D, Assum G, Krone W: Analysis of an alternatively spliced exon of the neurofibromatosis type 1 gene in cultured melanocytes from patients with neurofibromatosis 1 413  
 Ekdahl KN, Michaëlsson G, Gerdén B, Löf L, Nilsson B: Impairments in complement receptor- and Fc receptor-mediated functions in vivo in patients with psoriasis 225  
 Elgjo K, Reichelt KL: Zinc and the mitosis-inhibitory epidermal pentapeptide (EPP) form a stimulatory chelated dimer 735  
 Elias PM → Holleran WM  
 Elsayed S → Iversen O-J  
 Emilson A → Fransson J  
 Enk CD, Katz SI: Extraction and quantitation of cytokine mRNA from human epidermal blister roofs 72  
 Eriksen J → Iversen O-J
- Fartasch M → Driesch P von den  
 Feingold KR → Holleran WM  
 Feingold KR → Hurt CM  
 Fernandez JA → Gendimenico GJ  
 Fewkes JL → Martin A  
 Fiers M-M → Charbonnier A-S  
 Fimiani M, Mazzatenta C, Alessandrini C, Paola M, Paola C, Andreassi L: Mid-dermal elastolysis: an ultrastructural and biochemical study 152  
 Flotte TJ → Martin A  
 Fransson J, Emilson A, Scheynius A, Hammar H: Proliferation and interferon-γ receptor expression in psoriatic and healthy keratinocytes are influenced by interactions between keratinocytes and fibroblasts in a skin equivalent model 517  
 Fry L → Olaniran AK  
 Frydenberg J → Kalltoft K  
 Fujimoto M → Ihn H  
 Fujimoto M, Sato S, Ihn H, Takehara K: Autoantibodies to the heat-shock protein hsp73 in localized scleroderma 581  
 Furukawa F, Imamura S, Takigawa M: FK506: therapeutic effects on lupus dermatoses in autoimmune-prone MRL/Mp-lpr/lpr mice 558  
 Furukawa F → Yokote R
- Gabard B → Treffel P  
 Gaboriau F, Demoulin-Giacco N, Tirache I, Morlière P: Involvement of singlet oxygen in ultraviolet A-induced lipid peroxidation in cultured human skin fibroblasts 338  
 Gao WN → Holleran WM  
 Garbe C → Eberle J

- Garbe C → Krasagakis K  
 Garioch JJ → Olaniran AK  
 Garmann E-M, Gollnick HPM: Immuno-phenotyping of the cellular infiltrate in the early elicitation phase of contact dermatitis in the skin of presensitized atopic individuals 129  
 Gawlik C → Schadendorf D  
 Gendimenico GJ, Liebel FT, Fernandez JA, Mezick JA: Evaluation of topical retinoids for cutaneous pharmacological activity in Yucatan microswine 675  
 Georgiou S → Tsambaos D  
 Gerden B → Ekdahl KN  
 Ghidoni R → Motta S  
 Glinska-Ferenz M → Glinski W  
 Glinski W, Gorski A, Glinska-Ferenz M, Majewski S, Stepień-Sopniewska B: Excessive costimulation of CD3-dependent lymphocyte response by extracellular matrix proteins in severe widespread psoriasis 176  
 Gollnick HPM → Garmann E-M  
 Goos M → Ockenfels HM  
 Gordon DS → Botchkarev VA  
 Gorski A → Glinski W  
 Grabbe J → Haas N  
 Grabbe J, Welker P, Dippel E, Czarnetzki BM: Stem cell factor, a novel cutaneous growth factor for mast cells and melanocytes 78  
 Greaves MW → Barlow RJ  
 Grevelink JM → Martin A  
 Griffiths CEM, Voorhees JJ: Human in vivo pharmacology of topical retinoids 53  
 Haas N, Hamann K, Grabbe J, Algermissen B, Czarnetzki BM: Phenotypic characterization of skin lesions in urticaria pigmentosa and mastocytomas 242  
 Haas N, Motel K, Czarnetzki BM: Comparative immunoreactivity of the eosinophil constituents MBP and ECP in different types of urticaria 180  
 Hachisuka H, Morita M, Karashima T, Sasai Y: Keratin 14 gene point mutation in the Köbner and Dowling-Meara types of epidermolysis bullosa simplex as detected by the PASA method 142  
 Hägermark Ö → Wahlgren C-F  
 Haftek M → Kowalewski C  
 Hamann K → Haas N  
 Hammar H → Fransson J  
 Hanley K → Hurt CM  
 Hansen BH → Kaltoft K  
 Harding C → Rawlings A  
 Harvima IT, Horsmanheimo L, Naukarinen A, Horsmanheimo M: Mast cell proteinases and cytokines in skin inflammation 61  
 Hashimoto I → Miyauchi Y  
 Hashimoto I → Sato T  
 Hashimoto K → Narisawa Y  
 Hashimoto T → Shindo Y  
 Hashimoto Y → Toyota N  
 Hashizume H, Tokura Y, Oku T, Iwamoto Y, Takigawa M: Photodynamic DNA-breaking activity of serum from patients with various photosensitivity dermatoses 586  
 Hatamochi A, Mori K, Ueki H: Role of cytokines in controlling connective tissue gene expression 115  
 Hauser C → Dumas V  
 Havu VK → Lu S  
 Hayakawa N → Stumpf WE  
 Hayashi A, Suzuki T, Tajima S, Nishikawa T: Partial characterization of a unique 84-kDa polypeptide stimulated by ascorbic acid in skin fibroblasts 310  
 Hayashi A → Tajima S  
 Heinzelmann T → Paus R  
 Heyden A → Lützw-Holm C  
 Higaki M → Yoshinaga Y  
 Himeno M → Kageshita T  
 Hirate J → Stumpf WE  
 Hölzle E → Prinz B  
 Höpfl R, Christensen ND, Angell MG, Kreider JW: Leukocyte proliferation in vitro against cottontail rabbit papilloma virus in rabbits with persisting papillomas/cancer or after regression 652  
 Hoffmeyer S → Eisenbarth I  
 Hohl D → Ishida-Yamamoto A  
 Holleran WM, Gao WN, Feingold KR, Elias PM: Localization of epidermal sphingolipid synthesis and serine palmitoyl transferase activity: alterations imposed by permeability barrier requirements 254  
 Holubar K, Braun-Falco M: The first chairs and professors of dermatology, particularly of 'German' dermatology 10  
 Hoogstraate AJ → Simonetti O  
 Horikoshi T → Yamamoto M  
 Horsmanheimo L → Harvima IT  
 Horsmanheimo M → Harvima IT  
 Horsmanheimo M → Paukkonen K  
 Hosokawa T → Matsue H  
 Hostýnek JJ, Lauerma AI, Magee PS, Bloom E, Maibach HI: A local lymph-node assay validation study of a structure-activity relationship model for contact allergens 567  
 Hubbard GB → Robinson ES  
 Hüner A → Driesch P von den  
 Huitfeldt HS → Lützw-Holm C  
 Hurt CM, Hanley K, Williams ML, Feingold KR: Cutaneous lipid synthesis during late fetal development in the rat 754  
 Ihn H → Fujimoto M  
 Ihn H, Sato S, Fujimoto M, Kikuchi K, Takehara K: Demonstration of interleukin-2, interleukin-4 and interleukin-6 in sera from patients with localized scleroderma 193  
 Iizuka H → Ishida-Yamamoto A  
 Iizuka H → Takagi A  
 Iizuka H → Takahashi H  
 Iizuka H → Toyota N  
 Iizuka M → Kawakubo Y  
 Ikegawa S → Takizawa Y  
 Imamura S → Danno K  
 Imamura S → Furukawa F  
 Ishida-Yamamoto A, Iizuka H, Manabe M, O'Guin WM, Hohl D, Kartasova T, Kuroki T, Roop DR, Eady RAJ: Altered distribution of keratinization markers in epidermolytic hyperkeratosis 705  
 Ito M → Yamamoto A  
 Iversen O-J, Lysvand H, Bergh K, Eriksen J, Elsayed S: The N-terminal amino acid sequence of the psoriasis-associated antigen, pso p27 761  
 Iversen O-J, Lysvand H, Jacobsen T, Bergh K, Lie BA: The psoriasis-associated antigen, pso p27, is expressed by tryptase-positive cells in psoriatic lesions 503  
 Iwamoto Y → Hashizume H  
 Iwatsuki K → Kaneko F  
 Izumi T, Tajima S, Nishikawa T: Stimulated expression of decorin and the decorin gene in fibroblasts cultured from patients with localized scleroderma 417  
 Jablonska S → Kowalewski C  
 Jablonska S, Orth G: Cutaneous warts: clinical, histological and virological correlations 616  
 Jacobsen T → Iversen O-J  
 Jansen H → Ponc M  
 Johansson O → Botchkarev VA  
 Johansson SGO → Bäck O  
 Kadono T, Kikuchi K, Sato S, Soma Y, Tamaki K, Takehara K: Elevated plasma endothelin levels in systemic sclerosis 439  
 Kämmerer R → Tronnier M  
 Kageshita T → Yoshii A  
 Kageshita T, Yoshii A, Kimura T, Maruo K, Ono T, Himeno M, Nishimura Y: Biochemical and immunohistochemical analysis of cathepsins B, H, L and D in human melanocytic tumours 266  
 Kalkman I → Ponc M  
 Kallonen M → Koivukangas V  
 Kaltoft K, Pedersen CB, Hansen BH, Lemonidis AS, Frydenberg J, Thestrup-Pedersen K: In vitro genetically aberrant T-cell clones with continuous growth are associated with atopic dermatitis 42  
 Kaltoft K → Thestrup-Pedersen K  
 Kameyoshi Y → Nakamura K  
 Kamo N → Takano J-I  
 Kaneko F → Nihei Y  
 Kaneko F, Zhang J-Z, Maruyama K, Nihei Y, Ono I, Iwatsuki K, Yamamoto T: Prostaglandin I<sub>2</sub> analogues, SM-10902 and SM-10906, affect human keratinocytes and fibroblasts in vitro in a manner similar to PGE<sub>2</sub>; therapeutic potential for wound healing 539  
 Kanitakis J → Tadini G  
 Kapranos N → Tsambaos D  
 Karashima T → Hachisuka H  
 Kartasova T → Ishida-Yamamoto A  
 Karvonen J → Koivukangas V  
 Katz SI → Enk CD  
 Kaufmann D → Eisenbarth I  
 Kawakubo Y, Iizuka M, Matsuo I, Ohkido M: Ultraviolet irradiation enhances arylamine N-acetyltransferase activity in human keratinocytes 341  
 Kawashima M → Yoshinaga Y  
 Kempenaar J → Ponc M

- Kempenaar JA → Simonetti O  
 Kikuchi A, Shimizu H, Nishikawa T:  
 Epidermal melanocytes in normal and  
 tyrosinase-negative oculocutaneous  
 albinism fetuses 529  
 Kikuchi K → Ihn H  
 Kikuchi K → Kadono T  
 Kikuchi T → Miyauchi Y  
 Kimura T → Kageshita T  
 Knop J → Mohamadzeadeh M  
 Kobayashi H → Matsue H  
 Kobayashi H → Takahashi H  
 Kobayashi K → Nihei Y  
 Kobza Black A → Barlow RJ  
 Kohda H → Narisawa Y  
 Kohlms C → Schadendorf D  
 Koike N → Stumpf WE  
 Koivukangas V, Kallionen M, Karvonen J,  
 Autio-Harmanen H, Risteli J, Risteli L,  
 Oikarinen A: Increased collagen syn-  
 thesis in psoriasis in vivo 171  
 Koizumi H → Takano J-I  
 Kolde G → Mohamadzeadeh M  
 Korstanje MJ → Strien GA van  
 Koutselini H → Tsambaos D  
 Kowalewski C, Haftek M, Jablonska S,  
 Schmitt D: Ultrastructural localization  
 of binding sites of sera from patients  
 with linear IgA bullous dermatosis  
 636  
 Krasgakis K, Garbe C, Eberle J, Orfanos  
 CE: Tumour necrosis factor and  
 several interleukins inhibit the growth  
 and modulate the antigen expression  
 of normal human melanocytes in vitro  
 259  
 Kreider JW → Höpfel R  
 Krieg T → Mauch C  
 Krone W → Eisenbarth I  
 Krüger-Krasgakis S → Weber S  
 Krusche T, Worret W-I: Mechanical  
 properties of keloids in vivo during  
 treatment with intralesional triamcino-  
 lone acetonide 289  
 Krušlin B → Slade N  
 Kumaki K → Stumpf WE  
 Kupriyanov VS → Botchkarev VA  
 Kuroki T → Ishida-Yamamoto A  
 Kylväniemi M, Autio P, Oikarinen A:  
 Influence of aging, localization, gluco-  
 corticoids and isotretinoin on matrix  
 metalloproteinases 2 (MMP-2) and 9  
 (MMP-9) in suction blister fluids 434  
 Laato M → Zhang L-Q  
 Lacroix M, Bovy T, Nussgens BV, Lapière  
 CM: Keratinocytes modulate the bio-  
 synthetic phenotype of dermal fibro-  
 blasts at a pretranslational level in a  
 human skin equivalent 659  
 Lannoy L de → Poncet M  
 Lapière CM → Lacroix M  
 Lauerma AI → Hostýnek JJ  
 Lee H-C → Yang J-H  
 Lemonidis AS → Kaltoft K  
 Lenhard B → Näher H  
 Lidén S → Ahmed AA  
 Lidén S → Nordlind K  
 Lie BA → Iversen O-J  
 Liebel FT → Gendimenico GJ  
 Litoux P → Celerier P  
 Löf L → Ekdahl KN  
 Lu S, Syrjänen K, Havu VK, Syrjänen S:  
 No evidence of human papillomavirus  
 DNA in actinic keratosis 649  
 Lützw-Holm C, Heyden A, Huitfeldt HS,  
 Brandtzaeg P, Clausen OPF: Topical  
 application of calcitriol alters expression  
 of filaggrin but not keratin K1 in mouse  
 epidermis 480  
 Luger TA → Bhardwaj RS  
 Lundh Rozell B → Talmé T  
 Lysvand H → Iversen O-J  
 Macdonald DM → Barlow RJ  
 MacKie RM: Strategies to reduce mortal-  
 ity from cutaneous malignant melanoma  
 13  
 Magee PS → Hostýnek JJ  
 Maibach HI → Hostýnek JJ  
 Majewski S → Gliniski W  
 Mallet F → Charbonnier A-S  
 Manabe M → Ishida-Yamamoto A  
 Marberger K → Strohal R  
 Marcusson JA → Talmé T  
 Martin A, Tope WD, Grevelink JM, Starr  
 JC, Fewkes JL, Flotte TJ, Deutsch TF,  
 Anderson RR: Lack of selectivity of  
 protoporphyrin IX fluorescence for basal  
 cell carcinoma after topical application  
 of 5-aminolevulinic acid: implications  
 for photodynamic treatment 665  
 Maruo K → Kageshita T  
 Maruyama K → Kaneko F  
 Maruyama K → Nihei Y  
 Matsue H, Kobayashi H, Hosokawa T,  
 Akitaya T, Ohkawara A: Keratinocytes  
 constitutively express the Fas antigen  
 that mediates apoptosis in IFN $\gamma$ -treated  
 cultured keratinocytes 315  
 Matsunaga Y → Tanaka Y  
 Matsuo I → Kawakubo Y  
 Matsuo S → Takahashi H  
 Matsuo S → Toyota N  
 Mauch C, Krieg T, Bauer EA: Role of the  
 extracellular matrix in the degradation  
 of connective tissue 107  
 Maurer M → Paus R  
 Mazzatenta C → Fimiani M  
 Meuli M → Viragh PA de  
 Mezick JA → Gendimenico GJ  
 Michaëlsson G → Ekdahl KN  
 Mitsuhashi Y → Miyauchi Y  
 Miyasaka N → Yoshinaga Y  
 Miyauchi Y, Mitsuhashi Y, Kikuchi T,  
 Hashimoto I: Feasibility of in vitro  
 culturing of lesional psoriatic keratino-  
 cytes in medium containing high cal-  
 cium concentrations 731  
 Mohamadzeadeh M, Knop J, Kolde G:  
 In vitro analysis of the phenotypical  
 and functional properties of the 4F7<sup>+</sup>  
 cutaneous accessory dendritic cell 273  
 Mohimen A, Ahmed AR: Comparison of  
 an indirect immunofluorescence assay  
 and a modified sensitive immunoblot  
 assay for the study of the autoantibody  
 in pemphigus vulgaris 202  
 Monastirli A → Tsambaos D  
 Monti M → Motta S  
 Moore PF → Olivry T  
 Mori K → Hatamochi A  
 Morita E → Nakamura K  
 Morita M → Hachisuka H  
 Morlière P → Gaboriau F  
 Motel K → Haas N  
 Motta S, Sesana S, Ghidoni R, Monti M:  
 Content of the different lipid classes in  
 psoriatic scale 691  
 Muona P → Zhang L-Q  
 Nachbar F → Prinz B  
 Näher H, Lenhard B, Wilms J, Nickel P:  
 Detection of Epstein-Barr virus DNA  
 in anal scrapings from HIV-positive  
 homosexual men 608  
 Nakagawa S → Ozawa H  
 Nakamura K, Tanaka T, Morita E,  
 Kameyoshi Y, Yamamoto S: Enhance-  
 ment of fibroblast-dependent mast cell  
 growth in mice by a conditioned me-  
 dium of keratinocyte-derived squamous  
 cell carcinoma cells 91  
 Narisawa Y, Hashimoto K, Kohda H:  
 Scanning electron microscopic observa-  
 tions of extracted terminal hair follicles  
 of the adult human scalp and eyebrow  
 with special references to the bulge area  
 599  
 Naukkarinen A → Harvima IT  
 Naukkarinen A → Paukkonen K  
 Naydan DK → Olivry T  
 Nickel P → Näher H  
 Nihei Y → Kaneko F  
 Nihei Y, Maruyama K, Zhang J-Z,  
 Kobayashi K, Kaneko F: Secretory  
 component (polymeric immunoglobulin  
 receptor) as an intrinsic inhibitor of  
 biological functions of interferon  
 gamma in keratinocytes 546  
 Nilsson B → Ekdahl KN  
 Nishikawa T → Hayashi A  
 Nishikawa T → Izumi T  
 Nishikawa T → Kikuchi A  
 Nishikawa T → Tajima S  
 Nishikawa T → Yamada H  
 Nishimiya K → Stumpf WE  
 Nishimura Y → Kageshita T  
 Nogita T → Yoshinaga Y  
 Nolte CJM: Measurement of the cross  
 sectional area of corneocytes in skin  
 culture 222  
 Nomura K → Sato T  
 Nordlind K → Ahmed AA  
 Nordlind K, Lidén S: Gamma/delta T  
 cells and human skin reactivity to heavy  
 metals 137  
 Nussgens BV → Lacroix M  
 Nußbaum G → Ockenfels HM  
 Ockenfels HM, Nußbaum G, Schulte-  
 walter T, Burger PM, Goos M: Cyclo-  
 sporin A, FK506 and dithranol alter  
 tyrosine-specific protein phosphoryla-  
 tion in HaCaT keratinocytes 304  
 O'Guin WM → Ishida-Yamamoto A  
 Ohkawara A → Matsue H  
 Ohkawara A → Takano J-I  
 Ohkido M → Kawakubo Y  
 Ohkubo E → Yoshinaga Y  
 Oikarinen A → Koivukangas V  
 Oikarinen A → Kylväniemi M  
 Oikarinen A → Zhang L-Q  
 Okada S → Tanaka Y  
 Okazaki A → Stumpf WE  
 Oku T → Hashizume H



- Olaniran AK, Baker BS, Garioch JJ, Powles AV, Fry L: A comparison of the stimulatory effects of cytokines on normal and psoriatic keratinocytes in vitro 231
- Olivry T, Moore PF, Naydan DK, Danilenko DM, Affolter VK: Investigation of epidermotropism in canine mycosis fungoides: expression of intercellular adhesion molecule-1 (ICAM-1) and beta-2 integrins 186
- Ono I → Kaneko F
- Ono T → Kageshita T
- Ono T → Yoshii A
- Orfanos CE → Eberle J
- Orfanos CE → Krasagakis K
- Orfanos CE → Schön MP
- Orth G → Jablonska S
- Otsuka F → Umebayashi Y
- Ozawa H, Aiba S, Nakagawa S, Tagami H: Murine epidermal Langerhans cells express CD48, which is a counter-receptor for mouse CD2 524
- Paola C → Fimiani M
- Paola M → Fimiani M
- Pasmazzi E → Tsambaos D
- Paukkonen K, Naukkarinen A, Horsmanheimo M: The development of manifest psoriatic lesions is linked with the appearance of ICAM-1 positivity on keratinocytes 165
- Paus R → Botchkarev VA
- Paus R, Heinzelmann T, Robicsek S, Czarnetzki BM, Maurer M: Substance P stimulates murine epidermal keratinocyte proliferation and dermal mast cell degranulation in situ 500
- Paus R → Plonka P
- Pavelić J → Slade N
- Pavelić K → Slade N
- Pedersen CB → Kaltoft K
- Pehamberger H → Strohal R
- Peltonen J → Zhang L-Q
- Penttinen R → Zhang L-Q
- Placek W → Sztaba-Kania M
- Plewig G → Prinz B
- Plonka B → Plonka P
- Plonka P, Plonka B, Paus R: Biophysical monitoring of melanogenesis as a tool for pigment and hair research 687
- Ponec M → Driesch P von den
- Ponec M, Kempenaar J, Weerheim A, Lannoy L de, Kalkman I, Jansen H: Triglyceride metabolism in human keratinocytes cultured at the air-liquid interface 723
- Ponec M → Simonetti O
- Powles AV → Olaniran AK
- Prinz B, Behrens W, Hölzle E, Plewig G: Extracorporeal photopheresis for the treatment of cutaneous T-cell lymphoma – the Düsseldorf and Munich experience 621
- Prinz B, Nachbar F, Plewig G: Treatment of severe atopic dermatitis with extracorporeal photopheresis 48
- Ptak W → Dumas V
- Ra C → Tanaka Y
- Rawlings A, Harding C, Watkinson A, Banks J, Ackerman C, Sabin R: The effect of glycerol and humidity on desmosome degradation in stratum corneum 457
- Reichelt KL → Elgjo K
- Richard A → Celerier P
- Risteli J → Koivukangas V
- Risteli L → Koivukangas V
- Robicsek S → Paus R
- Robinson ES, Hubbard GB, VandeBerg JL: Ultraviolet radiation-induced skin lesions in laboratory opossums (*Monodelphis domestica*) exposed from the weanling stage 333
- Roop DR → Ishida-Yamamoto A
- Ruh B → Weber S
- Sabin R → Rawlings A
- Saida T → Takizawa Y
- Saitoh K → Yamamoto M
- Sasai Y → Hachisuka H
- Sato S → Fujimoto M
- Sato S → Ihn H
- Sato S → Kadono T
- Sato T, Nomura K, Hashimoto I: Expression of collagenase and stromelysin in skin fibroblasts from recessive dystrophic epidermolysis bullosa 428
- Saurat J-H → Dumas V
- Schadendorf D, Kohlms C, Gawlik C, Suter L, Czarnetzki BM: Mast cells in melanocytic tumours 452
- Scheynius A → Bäck O
- Scheynius A → Fransson J
- Scheynius A → Wahlgren C-F
- Schmitt D → Charbonnier A-S
- Schmitt D → Kowalewski C
- Schmitt D → Tadini G
- Schön M → Schön MP
- Schön MP, Blume-Peytavi U, Schön M, Orfanos CE: The human hair follicle: glycoprotein-related antigenic profile of distinct keratinocyte populations in vivo and their alterations in vitro 591
- Schrijvers AHGJ → Simonetti O
- Schultewolter T → Ockenfels HM
- Schultzberg M → Ahmed AA
- Sesana S → Motta S
- Shigematsu T → Yamada H
- Shimizu H → Kikuchi A
- Shindo Y, Hashimoto T: Antioxidant defence mechanism of the skin against UV irradiation: study of the role of catalase using acatalasaemia fibroblasts 747
- Shinya A → Danno K
- Simonetti O, Hoogstraate AJ, Bialik W, Kempenaar JA, Schrijvers AHGJ, Boddé HE, Ponec M: Visualization of diffusion pathways across the stratum corneum of native and in-vitro-reconstructed epidermis by confocal laser scanning microscopy 465
- Slade N, Pavelić J, Krušlin B, Pavelić K: Type IV collagenase in squamous cell and basal cell skin carcinomas 512
- Soma Y → Kadono T
- Starr JC → Martin A
- Stepien-Sopniewska B → Glinski W
- Sterry W → Boehncke W-H
- Stingl G → Strohal R
- Stratigos A → Tsambaos D
- Strien GA van, Korstanje MJ: Treatment of contact hypersensitivity with urocanic acid 564
- Strohal R, Marberger K, Pehamberger H, Stingl G: Immunohistological analysis of anti-melanoma host responses 28
- Stumpf WE, Koike N, Hayakawa N, Tokuda K, Nishimiya K, Hirate J, Okazaki A, Kumaki K: Distribution of 1,25-dihydroxyvitamin D<sub>3</sub>[22-oxa] in vivo receptor binding in adult and developing skin 294
- Sundqvist KG → Talme T
- Suter L → Schadendorf D
- Suzuki T → Hayashi A
- Suzuki T → Tajima S
- Syrjänen K → Lu S
- Syrjänen S → Lu S
- Sztaba-Kania M, Placek W: Plasma fibronectin in psoriatic patients 219
- Tadini G, Kanitakis J, Cavalli R, Schmitt D, Cambiaghi S, Berti E: Altered expression of a new antigen of the dermal-epidermal junction (NU-T2 DEJ Ag) in junctional epidermolysis bullosa 699
- Tagami H → Ozawa H
- Tagami H → Takematsu H
- Tajima S → Hayashi A
- Tajima S, Hayashi A, Suzuki T, Nishikawa T: Stimulation of elastin expression by minoxidil in chick skin fibroblasts 494
- Tajima S → Izumi T
- Tajima S → Yamada H
- Takagi A, Iizuka H: UVB-induced calmodulin increase in pig epidermis: analysis of the effect of the calmodulin antagonist, W-13 326
- Takahashi H, Kobayashi H, Matsuo S, Iizuka H: Repression of involucrin gene expression by transcriptional enhancer factor 1 (TEF-1) 740
- Takahashi H → Yamamoto M
- Takahashi M → Yamamoto M
- Takano J-I, Koizumi H, Ohkawara A, Kamo N, Ueda T: Ultraviolet action spectra for peroxide generation in human and pig epidermal keratinocytes loaded with dihydrorhodamine 123 321
- Takehara K → Fujimoto M
- Takehara K → Ihn H
- Takehara K → Kadono T
- Takematsu H, Tagami H: Proinflammatory properties of molluscum bodies 102
- Takenaka M → Tanaka Y
- Takenouchi K → Yamamoto A
- Takigawa M → Furukawa F
- Takigawa M → Hashizume H
- Takigawa M → Yokote R
- Takizawa Y, Saida T, Tokuda Y, Dohi S, Ikegawa S, Ueyama Y: Engraftment of precursor lesions of human cutaneous neoplasms onto C.B-17 SCID mice: a useful in vivo experimental model of carcinogenesis in human skin 237
- Talme T, Lundh Rozell B, Sundqvist KG, Wetterberg L, Marcusson JA: Histopathological and immunohistochemical

- changes in psoriatic skin during peptide T treatment 553
- Tamaki K → Kadono T
- Tanaka T → Nakamura K
- Tanaka Y, Takenaka M, Matsunaga Y, Okada S, Anan S, Yoshida H, Ra C: High affinity IgE receptor (FcεRI) expression on eosinophils infiltrating the lesions and mite patch tested sites in atopic dermatitis 712
- Tengvall Linder M → Wahlgren C-F
- Terajima S → Yoshinaga Y
- Thestrup-Pedersen K → Kaltoft K
- Thestrup-Pedersen K, Kaltoft K: Genotraumatic T cells and cutaneous T-cell lymphoma. A causal relationship? 97
- Tirache I → Gaboriau F
- Tokuda K → Stumpf WE
- Tokuda Y → Takizawa Y
- Tokura Y → Hashizume H
- Tokura Y → Yokote R
- Tope WD → Martin A
- Toyota N, Hashimoto Y, Matsuo S, Iizuka H: Transforming growth factor β1 inhibits IL-3- and IL-4-dependent mouse connective tissue-type mast cell proliferation 198
- Tramposch KM → Beehler BC
- Treffel P, Gabard B: Stratum corneum dynamic function measurements after moisturizer or irritant application 473
- Tronnier M, Kämmerer R, Wolff HH: Proliferative activity of keratinocytes correlates with that of melanocytes in naevi and melanomas 509
- Tsambaos D, Monastirli A, Kapranos N, Georgiou S, Pasmatzis E, Stratigos A, Koutselini H, Berger H: Detection of human papillomavirus DNA in non-genital seborrheic keratoses 612
- Tsushima H → Yoshii A
- Ueda T → Takano J-I
- Ueki H → Hatamochi A
- Ueyama Y → Takizawa Y
- Uitto J, Christiano AM: Molecular basis for the dystrophic forms of epidermolysis bullosa: mutations in the type VII collagen gene 16
- Umebayashi Y, Otsuka F: Prognostic significance in malignant melanoma of nuclear DNA content measured by a microfluorimetric method 718
- VandeBerg JL → Robinson ES
- Viragh PA de, Meuli M: Human scalp hair follicle development from birth to adulthood: statistical study with special regard to putative stem cells in the bulge and proliferating cells in the matrix 279
- Voorhees JJ → Griffiths CEM
- Wahlgren C-F, Tengvall Linder M, Hägermark Ö, Scheynius A: Itch and inflammation induced by intradermally injected interleukin-2 in atopic dermatitis patients and healthy subjects 572
- Watkinson A → Rawlings A
- Weber S, Ruh B, Krüger-Krasagakes S, Czarnetzki BM: Adhesion molecules on the human mast cell line HMC-1 are upregulated during cell activation 695
- Weerheim A → Poncet M
- Wei Y-H → Yang J-H
- Welker P → Grabbe J
- Wetterberg L → Talmé T
- Wiedow O, Wiese F, Christophers E: Lesional elastase activity in psoriasis. Diagnostic and prognostic significance 632
- Wiese F → Wiedow O
- Williams ML → Hurt CM
- Wilms J → Näher H
- Wolff HH → Tronnier M
- Worret W-I → Krusche T
- Yamada H, Shigematsu T, Tajima S, Nishikawa T: Screening of potent inhibitors of collagen synthesis in cultured human skin fibroblasts 506
- Yamamoto A, Takenouchi K, Ito M: Impaired water barrier function in acne vulgaris 214
- Yamamoto M, Takahashi H, Saitoh K, Horikoshi T, Takahashi M: Expression of the p53 protein in malignant melanomas as a prognostic indicator 146
- Yamamoto S → Nakamura K
- Yamamoto T → Kaneko F
- Yang J-H, Lee H-C, Wei Y-H: Photo-ageing-associated mitochondrial DNA length mutations in human skin 641
- Yokote R, Tokura Y, Furukawa F, Takigawa M: Susceptible responsiveness to bacterial superantigens in peripheral blood mononuclear cells from patients with psoriasis 443
- Yoshida H → Tanaka Y
- Yoshii A → Kageshita T
- Yoshii A, Kageshita T, Tsushima H, Ono T: Clinical relevance of cathepsin B-like enzyme activity and cysteine proteinase inhibitor in melanocytic tumours 209
- Yoshinaga Y, Higaki M, Terajima S, Ohkubo E, Nogita T, Miyasaka N, Kawashima M: Detection of inflammatory cytokines in psoriatic skin 158
- Yu RC, Alaibac M, Chu AC: Functional defect in cells involved in Langerhans cell histiocytosis 627
- Zhang J-Z → Kaneko F
- Zhang J-Z → Nihei Y
- Zhang L-Q, Laato M, Muona P, Penttinen R, Oikarinen A, Peltonen J: A fibroblast cell line cultured from a hypertrophic scar displays selective downregulation of collagen gene expression: barely detectable messenger RNA levels of the proα1(III) chain of type III collagen 534
- Zollner TM → Boehncke W-H

# Abstracts

Arbeitsgemeinschaft Dermatologische Forschung (ADF). XXII. Annual Meeting, in cooperation with "Deutsche Dermatologische Gesellschaft" (DDG), 18-20 November 1994, Würzburg, Germany 344

Acknowledgements to referees 1995 769

Announcements 223, 411, 515, 619, 768

Erratum 767

Subject index 770

Contents of Volume 287

Indexed in *Current Contents* and *Index Medicus*